

steenrod algebra

steenrod algebra is a powerful mathematical framework that plays a critical role in algebraic topology, particularly in the study of cohomology operations. Developed by the mathematician Norman Steenrod in the mid-20th century, this algebra provides tools for understanding the structure of cohomological invariants and their relationships. The significance of Steenrod algebra lies in its ability to extend classical cohomology theories, offering a deeper insight into topological spaces. This article will delve into the fundamentals of Steenrod algebra, its key components, applications, and its impact on modern mathematics. We will also explore its historical context and provide a comprehensive overview of its various aspects.

- Introduction to Steenrod Algebra
- Historical Context
- Fundamental Concepts
- Operations in Steenrod Algebra
- Applications of Steenrod Algebra
- Conclusion

Introduction to Steenrod Algebra

Steenrod algebra is a collection of cohomology operations that arise in the study of topological spaces, specifically in the context of singular cohomology. It consists of a series of operations known as the Steenrod squares, which are defined on cohomology groups. These operations satisfy certain axioms that enable mathematicians to derive results about the structure of cohomological invariants. The development of Steenrod algebra revolutionized algebraic topology, providing essential tools for researchers to analyze complex topological structures.

At its core, Steenrod algebra focuses on the interaction between cohomology theories and operations that preserve the algebraic structure of these theories. The operations can be used to study various properties of spaces, particularly in relation to their homotopy types. The algebraic framework allows for the formulation of intricate relationships between different topological invariants, making it a vital area of study in modern mathematics.

Historical Context

The origins of Steenrod algebra can be traced back to the work of Norman Steenrod in the 1940s. Steenrod was investigating cohomology theories and sought to understand the operations that could be performed on cohomology classes. His work led to the introduction of the Steenrod squares, which are homotopy invariant operations that provide valuable information about the structure of cohomology groups.

Steenrod's contributions were foundational, but they were built upon earlier developments in algebraic topology, particularly those related to the work of Henri Poincaré and others who laid the groundwork for cohomology theories. The introduction of Steenrod algebra marked a significant advancement in the field, allowing for the systematic study of operations on cohomology and the interplay between topology and algebra.

Fundamental Concepts

Understanding Steenrod algebra requires familiarity with several fundamental concepts in algebraic topology. The key elements include cohomology groups, operations on these groups, and the axioms governing Steenrod algebra.

Cohomology Groups

Cohomology groups are algebraic structures that provide a way to classify topological spaces based on the properties of their continuous functions. They are derived from singular cohomology, which uses singular simplices to construct cochain complexes. The cohomology groups, denoted as $H^n(X)$, represent the n -th degree of cohomology for a topological space X .

Steenrod Squares

The Steenrod squares, denoted by Sq^i , are a series of cohomology operations that can be applied to classes in cohomology groups. These squares are defined for every integer i and satisfy several important properties:

- **Natural transformation:** The Steenrod squares provide a natural transformation on cohomology.
- **Cartan formula:** The operation satisfies a Cartan formula, which relates products of classes to their Steenrod squares.

- **Stability:** The squares have stability properties under certain conditions.

These properties allow mathematicians to derive results about the structure of cohomological invariants and how they relate to the topology of the underlying space.

Operations in Steenrod Algebra

Steenrod algebra is primarily characterized by its operations, which can be classified into several categories. Understanding these operations is crucial for applying Steenrod algebra in various mathematical contexts.

Primary Operations

The primary operations in Steenrod algebra include the Steenrod squares and the Adem relations. The Steenrod squares provide a way to compute cohomology classes, while the Adem relations describe how these operations interact with one another.

Adem Relations

The Adem relations are a set of equations that express how the Steenrod squares can be decomposed into sums of products of lower-degree squares. These relations play a significant role in the algebraic structure of Steenrod algebra, allowing for the simplification of complex expressions and the derivation of new results.

Commutative and Associative Properties

Another important aspect of Steenrod algebra is its commutative and associative properties. These properties enable mathematicians to rearrange and combine operations, leading to a more flexible use of Steenrod squares in computations. The ability to manipulate these operations is essential for exploring the deeper connections between topology and algebra.

Applications of Steenrod Algebra

Steenrod algebra has far-reaching applications across various branches of mathematics. Its influence can be seen in areas such as algebraic topology, homotopy theory, and even in some aspects of algebraic geometry.

Topological Applications

In topology, Steenrod algebra provides tools for classifying topological spaces based on their cohomological properties. Researchers use Steenrod squares to derive invariants that help in distinguishing between different homotopy types. This ability to discern subtle differences between spaces is crucial in the study of manifold theory and complex topological structures.

Homotopy Theory

Steenrod algebra also has significant implications in homotopy theory. The relationships established by Steenrod squares allow for the exploration of homotopy groups and their connection to cohomology. This interplay between homotopy and cohomology is a cornerstone of modern algebraic topology and has led to numerous discoveries and advancements in the field.

Algebraic Geometry

In algebraic geometry, Steenrod algebra aids in the study of cohomological invariants associated with algebraic varieties. The tools developed through Steenrod algebra can be applied to understand the properties of schemes and their cohomological characteristics, thereby bridging the gap between topology and algebraic geometry.

Conclusion

Steenrod algebra represents a foundational framework within algebraic topology, offering essential insights into the structure of cohomological operations. Its development was a pivotal moment in mathematics, leading to advancements in various fields, including topology, homotopy theory, and algebraic geometry. By understanding the fundamental concepts, key operations, and diverse applications of Steenrod algebra, mathematicians are equipped to explore the intricate relationships between algebra and topology. As research continues to evolve, the significance of Steenrod algebra remains

paramount in the ongoing quest to unravel the complexities of mathematical structures.

Q: What is Steenrod algebra?

A: Steenrod algebra is a collection of cohomology operations that are used in algebraic topology to study the structure of cohomological invariants. It is primarily characterized by the Steenrod squares, which are homotopy invariant operations defined on cohomology groups.

Q: Who developed Steenrod algebra?

A: Steenrod algebra was developed by the mathematician Norman Steenrod in the mid-20th century as part of his work on cohomology theories and topological spaces.

Q: What are Steenrod squares?

A: Steenrod squares are operations denoted by Sq^i that can be applied to cohomology classes in order to derive information about the structure of cohomology groups and their relationships.

Q: How do Steenrod squares relate to cohomology theories?

A: Steenrod squares provide a way to extend classical cohomology theories by introducing operations that preserve the algebraic structure, thus allowing for deeper insights into topological spaces.

Q: What are the Adem relations?

A: The Adem relations are a set of equations that describe how Steenrod squares can be decomposed into sums of products of lower-degree squares, playing a crucial role in the algebraic structure of Steenrod algebra.

Q: What are some applications of Steenrod algebra?

A: Steenrod algebra has applications in various fields, including algebraic topology, homotopy theory, and algebraic geometry, where it is used to classify topological spaces and study cohomological properties.

Q: Why is Steenrod algebra important in modern mathematics?

A: Steenrod algebra is important because it provides essential tools for understanding the intricate relationships between topology and algebra, leading to significant advancements in various mathematical fields.

Q: Can Steenrod algebra be applied in algebraic geometry?

A: Yes, Steenrod algebra can be applied in algebraic geometry to study cohomological invariants associated with algebraic varieties, bridging the gap between topology and algebraic geometry.

Q: What is the relationship between Steenrod algebra and homotopy theory?

A: The relationship is significant, as Steenrod algebra facilitates the exploration of homotopy groups and their connections to cohomology, which is foundational to modern algebraic topology.

Q: What are the key properties of Steenrod squares?

A: The key properties of Steenrod squares include natural transformation, the Cartan formula, and stability, which allow mathematicians to derive results about cohomological invariants and their interactions.

Steenrod Algebra

Find other PDF articles:

<http://www.speargroupllc.com/business-suggest-009/Book?ID=ZwW72-0452&title=business-plan-assisted-living-facility.pdf>

steenrod algebra: Stable Homotopy over the Steenrod Algebra John Harold Palmieri, 2001 This title applies the tools of stable homotopy theory to the study of modules over the mod p Steenrod algebra A . More precisely, let A^* be the dual of A ; then we study the category $\mathsf{stbl}(A)$ of unbounded cochain complexes of injective comodules over A^* , in which the morphisms are cochain homotopy classes of maps. This category is triangulated. Indeed, it is a stable homotopy category, so we can use Brown representability, Bousfield localization, Brown-Comenetz duality, and other homotopy-theoretic tools to study it. One focus of

attention is the analogue of the stable homotopy groups of spheres, which in this setting is the cohomology of $\mathbf{A}, \mathrm{Ext}_A^{\mathrm{DEGREES}^{**}}(\mathbf{F}_p, \mathbf{F}_p)$. This title also has nilpotence theorems, periodicity theorems, a convergent chromatic tower, and a nu

steenrod algebra: Steenrod Squares in Spectral Sequences William M. Singer, 2006 This book develops a general theory of Steenrod operations in spectral sequences. It gives special attention to the change-of-rings spectral sequence for the cohomology of an extension of Hopf algebras and to the Eilenberg-Moore spectral sequence for the cohomology of classifying spaces and homotopy orbit spaces. In treating the change-of-rings spectral sequence, the book develops from scratch the necessary properties of extensions of Hopf algebras and constructs the spectral sequence in a form particularly suited to the introduction of Steenrod squares. The resulting theory can be used effectively for the computation of the cohomology rings of groups and Hopf algebras, and of the Steenrod algebra in particular, and so should play a useful role in stable homotopy theory. Similarly the book offers a self-contained construction of the Eilenberg-Moore spectral sequence, in a form suitable for the introduction of Steenrod operations. The corresponding theory is an effective tool for the computation of t

steenrod algebra: Polynomials and the mod 2 Steenrod Algebra Grant Walker, Reginald M. W. Wood, 2018 The first of two volumes covering the Steenrod algebra and its various applications. Suitable as a graduate text.

steenrod algebra: The Steenrod Algebra and Its Applications F. P. Peterson, 2006-11-15

steenrod algebra: Unstable Modules Over the Steenrod Algebra and Sullivan's Fixed Point Set Conjecture Lionel Schwartz, 1994-06-25 A comprehensive account of one of the main directions of algebraic topology, this book focuses on the Sullivan conjecture and its generalizations and applications. Lionel Schwartz collects here for the first time some of the most innovative work on the theory of modules over the Steenrod algebra, including ideas on the Segal conjecture, work from the late 1970s by Adams and Wilkerson, and topics in algebraic group representation theory. This course-tested book provides a valuable reference for algebraic topologists and includes foundational material essential for graduate study.

steenrod algebra: Spectra and the Steenrod Algebra H.R. Margolis, 2011-08-18 I have intended this book to be more than just the sum of its chapters, and the introduction is, in part, an attempt to spell out what the more is. Algebraic topology is the study of topological problems by algebraic means. More precisely, this has come to be framed as the study of topological categories by means of functors to algebraic categories. Beyond the basic definitions and structure, the focus is often on particular problems, for example, Adams' use of K-theory to solve the vector fields on spheres problem. On the other hand, there are contributions of a more global nature yielding insight into the overall structure of some topological category, for example, Quillen's work on rational homotopy type. This book is intended primarily as a contribution of this latter sort. So while there will be a variety of particular examples and computations, and although the structure being developed has significant application to many specific problems (some of which are considered here), the major thrust of the text is toward understanding the global structure and linkage of the topological and algebraic categories considered: the stable homotopy category and the category of modules over the Steenrod algebra.

steenrod algebra: Algebraic Topology: New Trends in Localization and Periodicity Carles Broto, Carles Casacuberta, Guido Mislin, 2012-12-06 Central to this collection of papers are new developments in the general theory of localization of spaces. This field has undergone tremendous change of late and is yielding new insight into the mysteries of classical homotopy theory. The present volume comprises the refereed articles submitted at the Conference on Algebraic Topology held in Sant Feliu de Guíxols, Spain, in June 1994. Several comprehensive articles on general localization clarify the basic tools and give a report on the state of the art in the subject matter. The text is therefore accessible not only to the professional mathematician but also to the advanced student.

steenrod algebra: Polynomials and the mod 2 Steenrod Algebra: Volume 2, Representations of

GL(n,F2) Grant Walker, Reginald M. W. Wood, 2017-11-09 This is the first book to link the mod 2 Steenrod algebra, a classical object of study in algebraic topology, with modular representations of matrix groups over the field F of two elements. The link is provided through a detailed study of Peterson's 'hit problem' concerning the action of the Steenrod algebra on polynomials, which remains unsolved except in special cases. The topics range from decompositions of integers as sums of 'powers of 2 minus 1', to Hopf algebras and the Steinberg representation of $GL(n, F)$. Volume 1 develops the structure of the Steenrod algebra from an algebraic viewpoint and can be used as a graduate-level textbook. Volume 2 broadens the discussion to include modular representations of matrix groups.

steenrod algebra: Handbook of Algebraic Topology I.M. James, 1995-07-18 Algebraic topology (also known as homotopy theory) is a flourishing branch of modern mathematics. It is very much an international subject and this is reflected in the background of the 36 leading experts who have contributed to the Handbook. Written for the reader who already has a grounding in the subject, the volume consists of 27 expository surveys covering the most active areas of research. They provide the researcher with an up-to-date overview of this exciting branch of mathematics.

steenrod algebra: Rational Representations, the Steenrod Algebra and Functor Homology Vincent Franjou, 2003 The book presents aspects of homological algebra in functor categories, with emphasis on polynomial functors between vector spaces over a finite field. With these foundations in place, the book presents applications to representation theory, algebraic topology and $\mathbb{A}^1$ -theory. As these applications reveal, functor categories offer powerful computational techniques and theoretical insights. T. Pirashvili sets the stage with a discussion of foundations. E. Friedlander then presents applications to the rational representations of general linear groups. L. Schwartz emphasizes the relation of functor categories to the Steenrod algebra. Finally, V. Franjou and T. Pirashvili present A. Scorichenko's understanding of the stable $\mathbb{A}^1$ -theory of rings as functor homology. The book is suitable for graduate students and researchers interested in algebra and algebraic geometry.

steenrod algebra: The Algebra of Secondary Cohomology Operations Hans-Joachim Baues, 2006-06-12 The algebra of primary cohomology operations computed by the well-known Steenrod algebra is one of the most powerful tools of algebraic topology. This book computes the algebra of secondary cohomology operations which enriches the structure of the Steenrod algebra in a new and unexpected way. The book solves a long-standing problem on the algebra of secondary cohomology operations by developing a new algebraic theory of such operations. The results have strong impact on the Adams spectral sequence and hence on the computation of homotopy groups of spheres.

steenrod algebra: Introduction to Homotopy Theory Paul Selick, 2008 Offers a summary for students and non-specialists who are interested in learning the basics of algebraic topology. This book covers fibrations and cofibrations, Hurewicz and cellular approximation theorems, topics in classical homotopy theory, simplicial sets, fiber bundles, Hopf algebras, and generalized homology and cohomology operations.

steenrod algebra: Polynomials and the mod 2 Steenrod Algebra Grant Walker (Mathematician), Reginald M. W. Wood, 2018 This is the first book to link the mod 2 Steenrod algebra, a classical object of study in algebraic topology, with modular representations of matrix groups over the field F of two elements. The link is provided through a detailed study of Peterson's 'hit problem' concerning the action of the Steenrod algebra on polynomials, which remains unsolved except in special cases. The topics range from decompositions of integers as sums of 'powers of 2 minus 1', to Hopf algebras and the Steinberg representation of $GL(n,F)$. Volume 1 develops the structure of the Steenrod algebra from an algebraic viewpoint and can be used as a graduate-level textbook. Volume 2 broadens the discussion to include modular representations of matrix groups.

steenrod algebra: Steenrod Connections and Connectivity in $\mathbb{H}$ -Spaces James P. Lin, 1987

steenrod algebra: Homotopy Invariant Algebraic Structures Jean-Pierre Meyer, 1999 This volume presents the proceedings of the conference held in honor of J. Michael Boardman's 60th

3988 | Bank of China Ltd H - 3988 (3988) Bank of China Ltd H (ISIN: CNE1000001Z5)

Bank of China Limited () - Yahoo Finance Find the latest Bank of China Limited (3988.HK) stock quote, history, news and other vital information to help you with your stock trading and investing

3988 — **HKEX:3988** — **TradingView** Bank of China Limited Class H 3988

BANK OF CHINA | **etnet** 03988.HK etnet 03988.HK

(03988)— (03988) (03988) F10

LinkedIn: Log In or Sign Up Stay up to date on your industry From live videos, to stories, to newsletters and more, LinkedIn is full of ways to stay up to date on the latest discussions in your industry

LinkedIn - Wikipedia In December of 2016, Microsoft purchased LinkedIn for \$26.2 billion, being their largest acquisition at the time. [8] 94% of business-to-business marketers since 2017 use LinkedIn to distribute

LinkedIn: Network & Job Finder on the App Store LinkedIn is one of the largest social networking apps for online job searches that also provides content that can help you grow. Build your resume, nurture your professional relationships,

LinkedIn: Jobs & Business News - Apps on Google Play Begin your career journey and build connections with LinkedIn. Build your online resume and start your next job search with one of the largest social networking apps

LinkedIn Login, Sign in | LinkedIn Login to LinkedIn to keep in touch with people you know, share ideas, and build your career

LinkedIn | LinkedIn With more than 1 billion members worldwide, including executives from every Fortune 500 company, LinkedIn is the world's largest professional network

How to use LinkedIn LinkedIn will keep you informed about the News, People, and Companies that help you be more effective and advance your career. Learn how to find connections, follow people and

Homepage - Aspire Aspire® Credit Card helps you build and grow your financial journey with easy account management and rewards

Aspire Manage your Aspire® account conveniently through the Account Center, accessible anytime from any device

Aspire® Mastercard - Aspire The Aspire® Mastercard gives you the credit you need. We're here to get you on your way

Aspire Mastercard: Prequalify and Get Cash Back Rewards* With Aspire® Mastercard, prequalify or get a credit card pre approval and get up to \$1000 credit limit, even with less than perfect credit. No program fee or initial deposit required

Contact Us - Aspire We are here to help! Contact Aspire® Credit Card or Aspire Banking™ by message, phone or text to get immediate assistance

Activate Your Aspire Mastercard Credit Card | Card Activation Activate Your Aspire® Mastercard Online The fastest and easiest way to activate your Aspire® Mastercard is through the Aspire® Account Center. Once your card is activated, the Aspire®

Everyday Credit Card - Aspire Use the Aspire® Mastercard for gas, groceries, and life in general. Make it your everyday go-to card. Access the credit you need, with no undisclosed fees and zero fraud liability*

Aspire® Cash Back Rewards Mastercard Check out the Aspire Cash Back Rewards Mastercard where you earn 1% cash back rewards on all your purchases! See if you're prequalified* today

Welcome to Aspire Credit Card Download the Aspire® Account Center App Reviews were voluntarily submitted to an independent research company by current Aspire® Credit Card cardholders regarding their

Welcome to Aspire Credit Card Please review the SUMMARY OF CREDIT TERMS which

summarizes the key terms of the Cardholder Agreement that will govern your Aspire Credit Card account. I understand that pre

Establecer la configuración de hora, fecha y zona horaria en Windows Cómo establecer la configuración de hora, fecha, zona horaria y horario de verano en Windows

Cómo establecer manualmente la fecha y la zona horaria en Windows En este artículo, le mostraremos cómo puede establecer manualmente la fecha y la zona horaria en su sistema Windows 11. Pasos a seguir para establecer manualmente la fecha y la zona

Cómo ajustar la configuración de la zona horaria en Windows 11 Solucionar problemas de zona horaria en Windows 11 puede ser un fastidio, pero generalmente, desactivar la configuración automática y configurar la zona manualmente es la

Cómo ajustar la hora, la fecha y la zona horaria del sistema en Windows En esta página, encontrará respuestas a las preguntas más frecuentes sobre soluciones para oficinas pequeñas, hogares y dispositivos móviles

Cómo ajustar la zona horaria en Windows 11: instrucciones sencillas Esta guía te guía paso a paso, incluyendo algunos consejos y trucos adicionales que he aprendido sobre la marcha, para asegurarte de que tu PC muestre la hora local

Configurar hora y fecha en Windows: procedimiento completo En este tutorial aprenderás cómo configurar la hora y fecha en tu computadora con Windows. Es importante mantener la hora y fecha actualizadas para garantizar la sincronización correcta de

Cómo cambiar la fecha y la hora en Windows 11 - Windows debería sincronizar automáticamente la fecha y la hora, pero si no lo hizo puedes configurarlo manualmente. A continuación te mostramos cómo puedes configurar

Cómo cambiar la zona horaria en Windows 11 o 10 - CMD y ¿Es incorrecta su zona horaria de Windows 11? Tal vez debido a que ha actualizado su sistema, ha viajado a algún lado o realizó una nueva instalación, la razón puede ser cualquiera, pero si

Configurar y Sincronizar Fecha y Hora Windows 11 Zona Horaria Tutorial con vídeo para saber cómo configurar y Sincronizar Fecha y Hora Windows 11 y ajustar la Zona Horaria paso a paso

Cómo cambiar la fecha y la hora en Windows 10 y 11 Habilite la sincronización automática de la hora para garantizar que la fecha y la hora sean siempre precisas. Haga clic derecho en el reloj en la barra de tareas y seleccione Ajustar

Related to steenrod algebra

TRUNCATED POLYNOMIAL ALGEBRAS OVER THE STEENROD ALGEBRA (JSTOR Daily5y) It is shown that the classification of polynomial algebras over the mod p Steenrod algebra is an essentially different problem from the classification of polynomial algebras truncated at height

TRUNCATED POLYNOMIAL ALGEBRAS OVER THE STEENROD ALGEBRA (JSTOR Daily5y) It is shown that the classification of polynomial algebras over the mod p Steenrod algebra is an essentially different problem from the classification of polynomial algebras truncated at height

A Phenomenon of Reciprocity in the Universal Steenrod Algebra (JSTOR Daily8y) In this paper we compute the cohomology algebra of certain subalgebras L_r and certain quotients K_s of the mod 2 universal Steenrod algebra Q , the algebra of cohomology operations for $H\infty$ -ring spectra

A Phenomenon of Reciprocity in the Universal Steenrod Algebra (JSTOR Daily8y) In this paper we compute the cohomology algebra of certain subalgebras L_r and certain quotients K_s of the mod 2 universal Steenrod algebra Q , the algebra of cohomology operations for $H\infty$ -ring spectra

On the Cohomology of Stable Two Stage Postnikov Systems (JSTOR Daily2y) We study the cohomology of certain fibre spaces. The spaces are the total spaces of stable two stage Postnikov systems. We study their cohomology as Hopf algebras over the Steenrod algebra. The first

On the Cohomology of Stable Two Stage Postnikov Systems (JSTOR Daily2y) We study the cohomology of certain fibre spaces. The spaces are the total spaces of stable two stage Postnikov systems. We study their cohomology as Hopf algebras over the Steenrod algebra. The first

Finite H-Spaces and Algebras over the Steenrod Algebra (JSTOR Daily2mon) Annals of Mathematics, a distinguished journal of research papers in pure mathematics, was founded in 1884. Annals of Mathematics is published bimonthly with the cooperation of Princeton University

Finite H-Spaces and Algebras over the Steenrod Algebra (JSTOR Daily2mon) Annals of Mathematics, a distinguished journal of research papers in pure mathematics, was founded in 1884. Annals of Mathematics is published bimonthly with the cooperation of Princeton University

Quillen Stratification for the Steenrod Algebra (JSTOR Daily1y) Annals of Mathematics, a distinguished journal of research papers in pure mathematics, was founded in 1884. Annals of Mathematics is published bimonthly with the cooperation of Princeton University

Quillen Stratification for the Steenrod Algebra (JSTOR Daily1y) Annals of Mathematics, a distinguished journal of research papers in pure mathematics, was founded in 1884. Annals of Mathematics is published bimonthly with the cooperation of Princeton University

K-Theory and Steenrod Homology: Applications to the Brown-Douglas-Fillmore Theory of Operator Algebras (JSTOR Daily7mon) The remarkable work of L. G. Brown, R. Douglas and P. Fillmore on operators with compact self-commutators once again ties together algebraic topology and operator theory. This paper gives a

K-Theory and Steenrod Homology: Applications to the Brown-Douglas-Fillmore Theory of Operator Algebras (JSTOR Daily7mon) The remarkable work of L. G. Brown, R. Douglas and P. Fillmore on operators with compact self-commutators once again ties together algebraic topology and operator theory. This paper gives a

Eilenberg-Mac Lane Spectra (JSTOR Daily7mon) Let $K(\mathbb{Z}_p)$ be the Eilenberg-Mac Lane spectrum with homotopy $\mathbb{Z}_p$ and let $A = H^*(K(\mathbb{Z}_p); \mathbb{Z}_p)$ -the mod p Steenrod algebra. Let X be a locally finite spectrum. It is proven that $\{\lbrack K(\mathbb{Z}_p), X \rbrack\}$

Eilenberg-Mac Lane Spectra (JSTOR Daily7mon) Let $K(\mathbb{Z}_p)$ be the Eilenberg-Mac Lane spectrum with homotopy $\mathbb{Z}_p$ and let $A = H^*(K(\mathbb{Z}_p); \mathbb{Z}_p)$ -the mod p Steenrod algebra. Let X be a locally finite spectrum. It is proven that $\{\lbrack K(\mathbb{Z}_p), X \rbrack\}$

A Fractal-Like Algebraic Splitting of the Classifying Space for Vector Bundles (JSTOR Daily8y) This is a preview. Log in through your library . Abstract The connected covers of the classifying space BO induce a decreasing filtration $\{B_n\}$ of $H_* \ast (BO; \mathbb{Z}$

A Fractal-Like Algebraic Splitting of the Classifying Space for Vector Bundles (JSTOR Daily8y) This is a preview. Log in through your library . Abstract The connected covers of the classifying space BO induce a decreasing filtration $\{B_n\}$ of $H_* \ast (BO; \mathbb{Z}$

The First Occurrence for the Irreducible Modules of General Linear Groups in the Polynomial Algebra (JSTOR Daily5y) Let p be a prime number and let GL_n be the group of all invertible matrices over the prime field F_p . It is known that every irreducible GL_n - module can occur as a submodule of P , the polynomial

The First Occurrence for the Irreducible Modules of General Linear Groups in the Polynomial Algebra (JSTOR Daily5y) Let p be a prime number and let GL_n be the group of all invertible matrices over the prime field F_p . It is known that every irreducible GL_n - module can occur as a submodule of P , the polynomial