ascaris anatomy

ascaris anatomy is a fascinating subject that delves into the complex structure and function of the Ascaris lumbricoides, a large parasitic worm known for its significant impact on human health. Understanding the anatomy of Ascaris is crucial for comprehending how this organism thrives within its host, how it affects human physiology, and the implications for disease and treatment. This article will explore the various anatomical features of Ascaris, including its morphology, reproductive system, digestive tract, and more. We will also discuss the life cycle of the organism and its implications for human health. Through this comprehensive examination, readers will gain a deeper appreciation of Ascaris anatomy and its relevance in medical and biological research.

- Introduction to Ascaris Anatomy
- Overview of Ascaris Lumbricoides
- Morphological Features
- Digestive System Structure
- Reproductive System Anatomy
- Nervous System and Sensory Organs
- Life Cycle of Ascaris
- Implications for Human Health
- Conclusion

Overview of Ascaris Lumbricoides

Ascaris lumbricoides, commonly referred to as the giant roundworm, is one of the largest human parasites. Adult worms can reach lengths of up to 35 centimeters, and they inhabit the small intestine of their hosts. This nematode is primarily found in tropical and subtropical regions, where sanitation practices may be inadequate. Infections are often asymptomatic, but they can lead to serious health issues, especially in children. The anatomy of Ascaris is adapted for its parasitic lifestyle, which includes specialized structures that facilitate attachment and nutrient absorption from the host's intestines.

Morphological Features

The morphology of Ascaris is distinctive and plays a crucial role in its survival and reproduction. The

body of Ascaris is elongated and cylindrical, with a tapered end. The cuticle, a protective outer layer, is made of collagen and is essential for resisting the host's immune response.

Body Structure

The body of Ascaris is divided into several regions, including the anterior (head), mid-body, and posterior (tail) sections. Key anatomical features include:

- **Cuticle:** The cuticle is a tough, flexible layer that protects the worm from the harsh environment of the intestine.
- **Muscle Layers:** Ascaris has longitudinal muscles organized in four bands, allowing it to move effectively within the host.
- **Pharynx:** The muscular pharynx aids in ingesting food and is located just behind the mouth.

Color and Size

The coloration of Ascaris varies from pale yellow to pink, which can help in its identification. Adult worms can grow impressively long, with females typically larger than males. This size disparity is a notable characteristic of the species.

Digestive System Structure

The digestive system of Ascaris is relatively simple yet highly efficient for nutrient absorption. It consists of a straight tube that runs through the body, allowing for the breakdown and absorption of food.

Mouth and Pharynx

The mouth of Ascaris is located at the anterior end and is surrounded by three prominent lips. The pharynx is muscular, enabling the worm to suck in nutrients from the host's digested food.

Intestine and Anus

Following the pharynx, the intestine runs the length of the body. This structure is responsible for nutrient absorption. The digestive tract ends at the anus, located at the posterior end, which allows

for the expulsion of waste products. The efficiency of this system is critical for the parasite's survival, as it relies on nutrients obtained from the host.

Reproductive System Anatomy

The reproductive system of Ascaris is highly specialized for its parasitic lifestyle. Ascaris lumbricoides is dioecious, meaning there are distinct male and female individuals.

Male Reproductive System

The male Ascaris has a smaller, curved body and contains two spicules used during mating. The male reproductive system includes:

- **Testes:** The testes produce sperm and are located in the posterior region of the body.
- Vas deferens: This structure transports sperm to the seminal vesicle.
- **Seminal Vesicle:** The seminal vesicle stores sperm until copulation.

Female Reproductive System

The female Ascaris is larger and straight-bodied. Her reproductive system comprises:

- **Ovaries:** The ovaries produce eggs, which are critical for the continuation of the species.
- **Uterus:** The uterus can store fertilized eggs until they are ready to be expelled.
- Vagina: This passage allows for sperm entry during fertilization.

Nervous System and Sensory Organs

The nervous system of Ascaris is relatively simple, consisting of a nerve ring and several longitudinal nerve cords. This system coordinates the worm's movements and responses to environmental stimuli.

Sensory Structures

Ascaris possesses various sensory organs that help it navigate its environment. These include:

- Amoeboid Cells: These cells act as touch receptors and are distributed throughout the body.
- **Chemosensory Organs:** Located near the head, these organs detect chemical signals in the host's intestines.
- **Photoreceptor Cells:** Although Ascaris lives in darkness, these cells may help in detecting light changes.

Life Cycle of Ascaris

The life cycle of Ascaris is complex and involves several stages. Understanding this cycle is crucial for controlling and preventing infections.

Stages of the Life Cycle

The life cycle of Ascaris includes the following stages:

- **Egg Stage:** Eggs are excreted in feces and must develop in the environment before becoming infective.
- Larval Stage: Once ingested, the eggs hatch in the intestine, releasing larvae that penetrate the intestinal wall.
- **Migratory Stage:** Larvae migrate to the lungs, are coughed up, and then swallowed back into the intestines, where they mature into adults.
- Adult Stage: Adult worms reproduce in the intestines, continuing the cycle.

Implications for Human Health

Infections caused by Ascaris lumbricoides can lead to various health issues, including malnutrition, stunted growth, and intestinal blockages. The understanding of Ascaris anatomy is vital in developing effective treatments and preventive measures.

Prevention and Treatment

Preventive measures include proper sanitation, hygiene practices, and public health education. Treatment typically involves antiparasitic medications that target the adult worms in the intestines. Understanding Ascaris anatomy helps in the development of targeted therapies, which can improve patient outcomes.

Conclusion

The anatomy of Ascaris lumbricoides is a remarkable adaptation to its parasitic lifestyle, allowing it to thrive within the human host. By understanding its morphological features, digestive and reproductive systems, and life cycle, researchers and healthcare professionals can better address the challenges posed by this significant parasite. Continued study of Ascaris anatomy not only enhances our knowledge of parasitology but also informs strategies for managing and preventing infections in affected populations.

Q: What is Ascaris anatomy?

A: Ascaris anatomy refers to the physical structure and organization of the Ascaris lumbricoides, a parasitic worm that infects humans. It encompasses various aspects, including its body structure, digestive and reproductive systems, and sensory organs.

Q: How does the digestive system of Ascaris work?

A: The digestive system of Ascaris consists of a straight tube running from the mouth to the anus. It includes a muscular pharynx for sucking in nutrients, an intestine for absorption, and an anus for waste expulsion, all adapted for extracting nutrients from the host's digested food.

Q: What distinguishes male and female Ascaris?

A: Male Ascaris are generally smaller and have a curved body with spicules for mating, while females are larger, straight-bodied, and possess a more complex reproductive system for producing and storing eggs.

Q: What role does the cuticle play in Ascaris anatomy?

A: The cuticle of Ascaris is a protective layer made of collagen, which helps the worm resist the host's immune response and provides structural support, allowing it to thrive in the harsh intestinal environment.

Q: How does Ascaris reproduce?

A: Ascaris reproduces sexually, with male and female worms mating in the host's intestines. The female produces eggs, which are then excreted in feces, continuing the life cycle when ingested by new hosts.

Q: What are the health implications of Ascaris infections?

A: Ascaris infections can lead to malnutrition, stunted growth in children, intestinal blockages, and other health complications. Understanding its anatomy is crucial for developing effective treatments and prevention strategies.

Q: What is the life cycle of Ascaris lumbricoides?

A: The life cycle of Ascaris lumbricoides includes egg, larval, migratory, and adult stages. Eggs are ingested, hatch into larvae, migrate through the lungs, and return to the intestines to mature into adults, where they reproduce.

Q: What are the sensory organs of Ascaris?

A: Ascaris has several sensory organs, including amoeboid cells for touch perception, chemosensory organs for detecting chemical signals, and photoreceptor cells, which may help in sensing light changes, aiding its navigation within the host.

Q: How do researchers study Ascaris anatomy?

A: Researchers study Ascaris anatomy using various techniques, including microscopy, dissection, and molecular biology methods, to understand its structure, function, and implications for health and disease.

Q: What treatments are available for Ascaris infections?

A: Treatments for Ascaris infections typically involve antiparasitic medications such as albendazole or mebendazole, which target adult worms in the intestines and help control the infection.

Ascaris Anatomy

Find other PDF articles:

 $\underline{http://www.speargroupllc.com/suggest-textbooks/pdf?ID=KcR60-0688\&title=psychology-textbooks-free.pdf}$

ascaris anatomy: Lectures on the Principles and Practice of Physic Sir Thomas Watson, 1872

ascaris anatomy: Biochemistry and Molecular Biology of Parasites Joseph Marr, Miklos Muller, 1995-09-06 The study of parasitic organisms at the molecular level has yielded fascinating new insights of great medical, social, and economical importance, and has pointed the way for the treatment and prevention of the diseases they cause. Biochemistry and Molecular Biology of Parasites presents an up-to-date account of this modern scientific discipline in a manner that allows and encourages the reader to place the biochemistry and molecular biology of these organisms in their biological context. The chapters are cross-referenced and grouped in an arrangement that provides a fully integrated whole, and permits the reader to create a composite of the biochemical function of these organisms. Individual chapter includes those devoted to metabolism, in both aerobic and anaerobic protozoa; antioxidant mechanisms; parasite surfaces; organelles; invasion mechanisms; and chemotherapy. The helminths are discussed not only from the point of view of their cellular biochemistry and metabolism, but also with respect to both their integrated functions such as neurochemistry, structure and functions of surfaces, and reproduction. Written by expert investigators, this book will be of interest to all experienced researchers, graduate students, and to the newcomer eager to become familiar with the biochemistry and molecular biology of parasites.

ascaris anatomy: Molecular Biochemistry and Physiology of Helminth Neuromuscular Systems David Halton, Leslie H. Chappell, 1996 This collection of articles, edited by D. W. Halton, is the specially commissioned supplement to the journal Parasitology, volume 113.

ascaris anatomy: Caenorhibditus Elegans: Modern Biological Analysis of an Organism, 1995-10-16 The first of its kind, this laboratory handbook emphasizes diverse methods and technologies needed to investigate C. elegans, both as an integrated organism and as a model system for research inquiries in cell, developmental, and molecular biology, as well as in genetics and pharmacology. Four primary sections--Genetic and Culture Methods, Neurobiology, Cell and Molecular Biology, and Genomics and Informatics--reflect the cross-disciplinary nature of C. elegans research. Because C. elegans is a simple and malleable organism with a small genome and few cell types, it provides an elegant demonstration of functions fundamental to multicellular organisms. The discipline has greatly expanded as researchers continue to find this small soil nematode to be the model of choice for studying specific pathways, stages of development, and cell types. By directing its audience not just to tried-and-true recipes for research, but also to databases and other innovative sources of information, this comprehensive collection is intended to guide investigators of C. elegans for years to come. First single-source book detailing explanations of current and classic C. elegans methodologiesDiversity and scope of techniques covered expected to be useful to the broadening community of C. elegans researchers for years to comeTechniques range from reverse genetics and mutagenesis, to laser ablation and electrophysiology, to in situ hybridization and DNA sequencing methodsAppendices include resource information important to the C. elegans community, including the C. elegans Genetics Center and Internet resources like the Worm Community System and ACeDBIllustrated with more than 100 tables and figures

ascaris anatomy: Exploring Zoology: A Laboratory Guide, Third Edition David G. Smith, Michael P. Schenk, 2021-01-01 Exploring Zoology: A Laboratory Guide provides a comprehensive, hands-on introduction to the field of zoology. Knowledge of the principal groups of animals is fundamental to understanding the central issues in biology. This full-color lab manual provides a diverse selection of exercises covering the anatomy, physiology, behavior, and ecology of the major invertebrate and vertebrate lineages. Great care has been taken to provide information in an engaging, student-friendly way. The material has been written to be easily adapted for use with any introductory zoology textbook.

ascaris anatomy: <u>Behavioral and Department Models</u> Bert Zuckerman, 2012-12-02 Nematodes as Biological Models is two-volume treatise that provides a comprehensive reference source for research, in which free-living nematodes have been used to examine fundamental processes in

genetics, development, nutrition, toxicology, pharmacology, and gerontology. The text emphasizes the use of Caenorhabditis elegans as a model in a variety of biological studies and also includes description of important studies utilizing other free-living nematodes as models. Volume 1: Behavioral and Developmental Models covers cell lineages, muscle development, behavior, the nervous system, control mechanisms, and genetics, with the major emphasis on C. elegans. Significant contributions derived primarily from studies on the parasitic nematode Ascaris and the free-living nematode Panagrellus are also considered. The second volume includes discussions on free-living nematodes as biological models for pharmacological and toxicant testing, and for studies on gerontology and nutrition. Several chapters in this volume also cover nematode physiology and morphology, which readers will find useful in understanding the subject matter. The book is a masterful reference for students and lecturers in parasitology, zoology, physiology, and other related biological courses. Researchers and extended workers on nematology and related disciplines will also find this book invaluable.

ascaris anatomy: Exploring Zoology: A Laboratory Guide David G. Smith, Michael P. Schenk, 2014-01-01 Exploring Zoology: A Laboratory Guide is designed to provide a comprehensive, hands-on introduction to the field of zoology. Ê This manual provides a diverse series of observational and investigative exercises, delving into the anatomy, behavior, physiology, and ecology of the major invertebrate and vertebrate lineages.

ascaris anatomy: Lectures on the Principles and Practice of Physics Watson, 1858

ascaris anatomy: The Zoological Record, 1912 Indexes the world's zoological and animal science literature, covering all research from biochemistry to veterinary medicine. The database provides a collection of references from over 4,500 international serial publications, plus books, meetings, reviews and other no- serial literature from over 100 countries. It is the oldest continuing database of animal biology, indexing literature published from 1864 to the present. Zoological Record has long been recognized as the unofficial register for taxonomy and systematics, but other topics in animal biology are also covered.

ascaris anatomy: Parasitology, 1916

ascaris anatomy: The Monthly Microscopical Journal, 1871

ascaris anatomy: The Monthly Microscopical Journal Royal Microscopical Society (Great Britain). 1871

ascaris anatomy: The Monthly Microscopical Journal Anonymous, 2023-02-19 Reprint of the original, first published in 1871. The publishing house Anatiposi publishes historical books as reprints. Due to their age, these books may have missing pages or inferior quality. Our aim is to preserve these books and make them available to the public so that they do not get lost.

ascaris anatomy: Population Sciences,

ascaris anatomy: Endocrinology Index, 1970-05

ascaris anatomy: Smithsonian Contributions to Knowledge, 1853

ascaris anatomy: Smithsonian Contributions to Knowledge Smithsonian Institution, 1853

ascaris anatomy: Introduction, 1853

ascaris anatomy: *Journal of the Royal Microscopical Society* Royal Microscopical Society (Great Britain), 1890 ... containing its transactions and proceedings and a summary of current researches relating to zoology and botany (principally Invertebrata and Cryptogamia), microscopy, &c.

ascaris anatomy: Journal of the Royal Microscopical Society, 1894

Related to ascaris anatomy

Ascariasis: Symptoms, Causes & Transmission, Treatment Ascariasis is an infection in your intestines caused by a roundworm called Ascaris lumbricoides (A. lumbricoides). Like other parasites, these worms use the body of a host (like

Ascaris - Wikipedia Ascaris is a nematode genus of parasitic worms known as the "small intestinal roundworms". [1] One species, Ascaris lumbricoides, affects humans and causes the disease ascariasis

CDC - DPDx - Ascariasis Ascariasis is the most common human helminthic infection globally. The burden is highest in tropical and subtropical regions, especially in areas with inadequate sanitation. This infection

Ascariasis Causes, Symptoms, Treatment, Life Cycle, Prevention Ascariasis is one of the tropical diseases caused by the parasite Ascaris lumbricoides, a large nematode (roundworm) that infects humans in the gastrointestinal tract and requires human

Ascariasis: Symptoms, Causes, Diagnosis & Treatment - WebMD Ascariasis is a kind of roundworm infection you get in your intestines. You get it when you come into contact with the worm's eggs in contaminated food, soil, or water. You

Ascariasis - Infectious Diseases - Merck Manual Professional Edition Human infection can also be caused by ingesting the fertilized eggs of Ascaris suum (a closely related parasite of pigs) in pig feces. Eggs are ingested by handling infected

Ascariasis - Symptoms & causes - Mayo Clinic Ascariasis (as-kuh-RIE-uh-sis) is a type of roundworm infection. These worms are parasites that use the body as a host to mature from eggs to adult worms. Adult worms can be

Understanding Ascariasis: Causes, Symptoms, and Treatments What is Ascariasis? Ascariasis is a parasitic infection caused by Ascaris lumbricoides. These worms live in the intestines and can grow up to 14 inches long. It feeds on

Ascariasis - StatPearls - NCBI Bookshelf Ascaris lumbricoides, the causative agent of ascariasis, is the most common parasitic worm in humans. Ascariasis can be asymptomatic, causing only malnutrition and

Ascariasis - UpToDate Ascaris lumbricoides is the largest intestinal nematode (roundworm) parasitizing the human intestine and is one of the most common helminthic human infections worldwide [1,2]

Ascariasis: Symptoms, Causes & Transmission, Treatment Ascariasis is an infection in your intestines caused by a roundworm called Ascaris lumbricoides (A. lumbricoides). Like other parasites, these worms use the body of a host (like

Ascaris - Wikipedia Ascaris is a nematode genus of parasitic worms known as the "small intestinal roundworms". [1] One species, Ascaris lumbricoides, affects humans and causes the disease ascariasis

CDC - DPDx - Ascariasis Ascariasis is the most common human helminthic infection globally. The burden is highest in tropical and subtropical regions, especially in areas with inadequate sanitation. This infection

Ascariasis Causes, Symptoms, Treatment, Life Cycle, Prevention Ascariasis is one of the tropical diseases caused by the parasite Ascaris lumbricoides, a large nematode (roundworm) that infects humans in the gastrointestinal tract and requires human

Ascariasis: Symptoms, Causes, Diagnosis & Treatment - WebMD Ascariasis is a kind of roundworm infection you get in your intestines. You get it when you come into contact with the worm's eggs in contaminated food, soil, or water. You

Ascariasis - Infectious Diseases - Merck Manual Professional Edition Human infection can also be caused by ingesting the fertilized eggs of Ascaris suum (a closely related parasite of pigs) in pig feces. Eggs are ingested by handling infected

Ascariasis - Symptoms & causes - Mayo Clinic Ascariasis (as-kuh-RIE-uh-sis) is a type of roundworm infection. These worms are parasites that use the body as a host to mature from eggs to adult worms. Adult worms can be

Understanding Ascariasis: Causes, Symptoms, and Treatments What is Ascariasis? Ascariasis is a parasitic infection caused by Ascaris lumbricoides. These worms live in the intestines and can grow up to 14 inches long. It feeds on

Ascariasis - StatPearls - NCBI Bookshelf Ascaris lumbricoides, the causative agent of ascariasis, is the most common parasitic worm in humans. Ascariasis can be asymptomatic, causing only malnutrition and

Ascariasis - UpToDate Ascaris lumbricoides is the largest intestinal nematode (roundworm) parasitizing the human intestine and is one of the most common helminthic human infections worldwide [1,2]

Ascariasis: Symptoms, Causes & Transmission, Treatment Ascariasis is an infection in your intestines caused by a roundworm called Ascaris lumbricoides (A. lumbricoides). Like other parasites, these worms use the body of a host (like

Ascaris - Wikipedia Ascaris is a nematode genus of parasitic worms known as the "small intestinal roundworms". [1] One species, Ascaris lumbricoides, affects humans and causes the disease ascariasis

CDC - DPDx - Ascariasis Ascariasis is the most common human helminthic infection globally. The burden is highest in tropical and subtropical regions, especially in areas with inadequate sanitation. This infection

Ascariasis Causes, Symptoms, Treatment, Life Cycle, Prevention Ascariasis is one of the tropical diseases caused by the parasite Ascaris lumbricoides, a large nematode (roundworm) that infects humans in the gastrointestinal tract and requires human

Ascariasis: Symptoms, Causes, Diagnosis & Treatment - WebMD Ascariasis is a kind of roundworm infection you get in your intestines. You get it when you come into contact with the worm's eggs in contaminated food, soil, or water. You

Ascariasis - Infectious Diseases - Merck Manual Professional Edition Human infection can also be caused by ingesting the fertilized eggs of Ascaris suum (a closely related parasite of pigs) in pig feces. Eggs are ingested by handling infected

Ascariasis - Symptoms & causes - Mayo Clinic Ascariasis (as-kuh-RIE-uh-sis) is a type of roundworm infection. These worms are parasites that use the body as a host to mature from eggs to adult worms. Adult worms can be

Understanding Ascariasis: Causes, Symptoms, and Treatments What is Ascariasis? Ascariasis is a parasitic infection caused by Ascaris lumbricoides. These worms live in the intestines and can grow up to 14 inches long. It feeds on

Ascariasis - StatPearls - NCBI Bookshelf Ascaris lumbricoides, the causative agent of ascariasis, is the most common parasitic worm in humans. Ascariasis can be asymptomatic, causing only malnutrition and

Ascariasis - UpToDate Ascaris lumbricoides is the largest intestinal nematode (roundworm) parasitizing the human intestine and is one of the most common helminthic human infections worldwide [1,2]

Ascariasis: Symptoms, Causes & Transmission, Treatment Ascariasis is an infection in your intestines caused by a roundworm called Ascaris lumbricoides (A. lumbricoides). Like other parasites, these worms use the body of a host (like a

Ascaris - Wikipedia Ascaris is a nematode genus of parasitic worms known as the "small intestinal roundworms". [1] One species, Ascaris lumbricoides, affects humans and causes the disease ascariasis

CDC - DPDx - Ascariasis Ascariasis is the most common human helminthic infection globally. The burden is highest in tropical and subtropical regions, especially in areas with inadequate sanitation. This infection is

Ascariasis Causes, Symptoms, Treatment, Life Cycle, Prevention Ascariasis is one of the tropical diseases caused by the parasite Ascaris lumbricoides, a large nematode (roundworm) that infects humans in the gastrointestinal tract and requires human

Ascariasis: Symptoms, Causes, Diagnosis & Treatment - WebMD Ascariasis is a kind of roundworm infection you get in your intestines. You get it when you come into contact with the worm's eggs in contaminated food, soil, or water. You

Ascariasis - Infectious Diseases - Merck Manual Professional Edition Human infection can also be caused by ingesting the fertilized eggs of Ascaris suum (a closely related parasite of pigs) in pig feces. Eggs are ingested by handling infected

Ascariasis - Symptoms & causes - Mayo Clinic Ascariasis (as-kuh-RIE-uh-sis) is a type of roundworm infection. These worms are parasites that use the body as a host to mature from eggs to adult worms. Adult worms can be

Understanding Ascariasis: Causes, Symptoms, and Treatments What is Ascariasis? Ascariasis is a parasitic infection caused by Ascaris lumbricoides. These worms live in the intestines and can grow up to 14 inches long. It feeds on

Ascariasis - StatPearls - NCBI Bookshelf Ascaris lumbricoides, the causative agent of ascariasis, is the most common parasitic worm in humans. Ascariasis can be asymptomatic, causing only malnutrition and

Ascariasis - UpToDate Ascaris lumbricoides is the largest intestinal nematode (roundworm) parasitizing the human intestine and is one of the most common helminthic human infections worldwide [1,2]

Related to ascaris anatomy

Anatomical Distinction between Human and Pig Strains of Ascaris (Nature11mon) IT has long been a matter of uncertainty whether the ascaris parasite of the domestic pig is specifically identical with Ascaris lumbricoides L. 1758 from the intestine of man. The evidence, as

Anatomical Distinction between Human and Pig Strains of Ascaris (Nature11mon) IT has long been a matter of uncertainty whether the ascaris parasite of the domestic pig is specifically identical with Ascaris lumbricoides L. 1758 from the intestine of man. The evidence, as

New research points to novel approach to tackling Ascaris roundworm (Science Daily9y) Scientists have shed new light on Ascaris infection, which affects 1 billion people worldwide. Targeting specific liver proteins may offer new preventative options against an infection that kills New research points to novel approach to tackling Ascaris roundworm (Science Daily9y) Scientists have shed new light on Ascaris infection, which affects 1 billion people worldwide. Targeting specific liver proteins may offer new preventative options against an infection that kills Antigenic Analysis of the Isolated Tissues and Body Fluids of the Roundworm, Ascaris lumbricoides var. suum (JSTOR Daily8y) Serums from rabbits fed with infective eggs and of rabbits injected with powdered Ascaris lumbricoides var. suum were tested in vitro on ascaris larvae obtained from the lung of guinea pigs. Such

Antigenic Analysis of the Isolated Tissues and Body Fluids of the Roundworm, Ascaris lumbricoides var. suum (JSTOR Daily8y) Serums from rabbits fed with infective eggs and of rabbits injected with powdered Ascaris lumbricoides var. suum were tested in vitro on ascaris larvae obtained from the lung of guinea pigs. Such

The Morphogenesis of Ascaris suum to the Infective Third-Stage Larvae within the Egg (JSTOR Daily2mon) Studies of the morphology of Ascaris suum larvae developing in the egg during embryonation in vitro at room temperature showed that 2 molts take place within the egg. The first larval stage (L1)

The Morphogenesis of Ascaris suum to the Infective Third-Stage Larvae within the Egg (JSTOR Daily2mon) Studies of the morphology of Ascaris suum larvae developing in the egg during embryonation in vitro at room temperature showed that 2 molts take place within the egg. The first larval stage (L1)

Back to Home: http://www.speargroupllc.com