

parenteral nutrition therapy

parenteral nutrition therapy is a critical medical intervention designed to provide essential nutrients directly into the bloodstream, bypassing the gastrointestinal tract. This therapy is typically employed when patients are unable to consume or absorb nutrients through oral or enteral routes due to various medical conditions. Parenteral nutrition therapy plays a vital role in sustaining life, promoting healing, and preventing malnutrition in critically ill or surgical patients. The formulation of parenteral nutrition involves a careful balance of macronutrients, micronutrients, fluids, and electrolytes tailored to individual patient needs. Understanding the indications, administration techniques, potential complications, and monitoring protocols is essential for healthcare professionals managing this complex therapy. This article will explore the fundamentals of parenteral nutrition therapy, its clinical applications, formulation strategies, and best practices to optimize patient outcomes.

- Overview of Parenteral Nutrition Therapy
- Indications and Patient Selection
- Components and Formulation
- Administration Techniques
- Monitoring and Management
- Complications and Risk Mitigation
- Advancements and Future Directions

Overview of Parenteral Nutrition Therapy

Parenteral nutrition therapy refers to the intravenous delivery of nutrients, including carbohydrates, proteins, fats, vitamins, and minerals, to patients who cannot meet their nutritional requirements through oral or enteral feeding. This therapy is essential in maintaining adequate nutritional status in patients with compromised gastrointestinal function. It serves as a lifeline for individuals suffering from conditions such as bowel obstruction, severe pancreatitis, or short bowel syndrome, where conventional feeding methods are ineffective or contraindicated. Parenteral nutrition therapy requires specialized knowledge in metabolic demands, nutrient formulations, and vascular access management to ensure safe and effective treatment.

History and Development

The concept of parenteral nutrition therapy emerged in the mid-20th century, revolutionizing nutritional support in clinical care. Initially developed to support malnourished patients and those undergoing major surgeries, advancements in sterile techniques, catheter technology, and nutrient

formulations have expanded its applications. Today, parenteral nutrition therapy is an integral component of multidisciplinary care in intensive care units, oncology, and chronic disease management.

Types of Parenteral Nutrition

Parenteral nutrition therapy can be classified into two main types: total parenteral nutrition (TPN) and partial parenteral nutrition (PPN). TPN provides all daily nutritional requirements intravenously, typically through a central venous catheter, while PPN supplements oral or enteral intake and is usually administered through peripheral veins.

Indications and Patient Selection

Identifying appropriate candidates for parenteral nutrition therapy is crucial for optimizing its benefits and minimizing risks. This therapy is indicated when the gastrointestinal tract is nonfunctional, inaccessible, or requires complete rest.

Common Clinical Indications

- Intestinal obstruction or ileus
- Short bowel syndrome
- Severe pancreatitis
- Inflammatory bowel disease during flare-ups
- Malabsorption syndromes
- Severe burns or trauma with impaired gut function
- Postoperative patients unable to tolerate enteral feeding
- Chronic intestinal failure

Contraindications

Although parenteral nutrition therapy is life-saving, it is contraindicated in patients with a functional gastrointestinal tract who can tolerate enteral or oral feeding. Additionally, relative contraindications include unstable patients without secure vascular access or those at high risk for complications without appropriate monitoring.

Components and Formulation

Parenteral nutrition therapy formulations are complex and must be customized to meet the metabolic and nutritional needs of the patient. The key components include macronutrients—carbohydrates, proteins, and lipids—and micronutrients such as electrolytes, vitamins, and trace elements.

Macronutrients

Carbohydrates are usually provided as dextrose solutions, serving as the primary energy source. Amino acids supply the building blocks for protein synthesis, essential for tissue repair and immune function. Lipids, delivered as emulsions, provide energy-dense calories and essential fatty acids important for cellular membrane integrity and hormone production.

Micronutrients and Electrolytes

Micronutrients are vital for enzymatic reactions and overall metabolism. Electrolytes such as sodium, potassium, magnesium, calcium, and phosphate must be carefully balanced to maintain physiological homeostasis. Vitamins and trace elements are added based on daily requirements and patient-specific deficiencies.

Customized Formulation Process

Formulating parenteral nutrition therapy involves calculating caloric needs, fluid requirements, and nutrient ratios tailored to the patient's clinical status. Factors such as age, weight, organ function, and disease state influence the final composition. The process requires collaboration among dietitians, pharmacists, and clinicians to ensure accuracy and safety.

Administration Techniques

Safe and effective delivery of parenteral nutrition therapy depends on proper vascular access and infusion protocols. The choice of administration route impacts the concentration of solutions and risk of complications.

Vascular Access

Central venous catheters (CVCs) are the preferred access for total parenteral nutrition due to the hyperosmolar nature of the solutions. Common sites include the subclavian, internal jugular, or femoral veins. Peripheral veins may be suitable for partial parenteral nutrition with less concentrated solutions but are limited by vein tolerance.

Infusion Methods

Parenteral nutrition therapy is typically administered continuously over 24 hours or cyclically for patients requiring ambulatory care. Infusion pumps ensure precise delivery rates, reducing the risk of metabolic complications. Strict aseptic technique during catheter handling and solution preparation is mandatory to prevent infections.

Monitoring and Management

Ongoing assessment is vital to gauge the effectiveness of parenteral nutrition therapy and to detect adverse events early. Monitoring involves clinical evaluation and laboratory testing.

Clinical Monitoring

Regular physical examinations assess hydration status, weight changes, and signs of infection or metabolic disturbances. Monitoring blood glucose levels is essential due to the risk of hyperglycemia from dextrose administration.

Laboratory Parameters

Frequent measurement of electrolytes, liver and kidney function tests, triglycerides, and complete blood counts guide adjustments in therapy. Nutritional markers such as prealbumin and nitrogen balance provide insight into the adequacy of nutrient delivery.

Adjustments and Troubleshooting

Based on clinical and laboratory findings, the composition and rate of parenteral nutrition therapy may require modification. Addressing complications promptly minimizes morbidity and supports patient recovery.

Complications and Risk Mitigation

While parenteral nutrition therapy is invaluable, it carries potential risks that necessitate vigilant prevention and management strategies.

Infectious Complications

Catheter-related bloodstream infections are among the most serious complications. Adhering to sterile insertion techniques, regular catheter care, and prompt removal of suspected infected lines are critical preventive measures.

Metabolic Complications

- Hyperglycemia or hypoglycemia
- Electrolyte imbalances
- Refeeding syndrome
- Liver dysfunction and cholestasis
- Essential fatty acid deficiency

Mechanical and Other Issues

Complications related to catheter placement include thrombosis, pneumothorax, and occlusion. Proper insertion techniques and monitoring reduce these risks.

Advancements and Future Directions

Recent innovations in parenteral nutrition therapy focus on improving safety, efficacy, and patient quality of life. Enhanced formulations with tailored nutrient profiles, improved lipid emulsions, and advanced catheter materials contribute to better outcomes. Research into personalized nutrition strategies using metabolic monitoring and biomarker analysis is ongoing. Additionally, developments in home parenteral nutrition programs facilitate long-term management for patients with chronic intestinal failure, allowing greater independence and reduced healthcare costs. The integration of technology and multidisciplinary care continues to refine parenteral nutrition therapy as a vital component of modern clinical nutrition.

Frequently Asked Questions

What is parenteral nutrition therapy and when is it used?

Parenteral nutrition therapy is the intravenous administration of nutrients, including glucose, amino acids, lipids, vitamins, and minerals, used when a patient cannot obtain nutrition through the gastrointestinal tract due to conditions like bowel obstruction, severe pancreatitis, or short bowel syndrome.

What are the common components included in parenteral nutrition solutions?

Parenteral nutrition solutions typically include carbohydrates (usually as dextrose), amino acids, lipids (fats), electrolytes, vitamins, and trace elements to provide a balanced nutritional support tailored to the patient's needs.

What are the major risks and complications associated with parenteral nutrition therapy?

Major risks include infections related to central venous catheter use, metabolic complications such as hyperglycemia or electrolyte imbalances, liver dysfunction, and micronutrient deficiencies or toxicities if not properly monitored.

How is parenteral nutrition therapy monitored and adjusted?

Monitoring involves regular assessment of laboratory values including electrolytes, blood glucose, liver and kidney function tests, and nutritional markers. Adjustments are made based on clinical status, laboratory results, and changing nutritional requirements.

What are the differences between total parenteral nutrition (TPN) and peripheral parenteral nutrition (PPN)?

TPN delivers complete nutrition through a central venous catheter and is used for long-term or high-nutrient needs, while PPN is administered through a peripheral vein, providing partial nutrition typically for short-term use due to lower osmolarity limits.

How has recent research influenced advancements in parenteral nutrition therapy?

Recent research has focused on reducing complications by improving catheter care protocols, optimizing nutrient formulations to reduce liver injury, developing personalized nutrition plans based on metabolic monitoring, and exploring lipid emulsions with anti-inflammatory properties.

Additional Resources

1. Handbook of Parenteral Nutrition

This comprehensive handbook offers detailed guidance on the clinical application of parenteral nutrition. It covers the principles of nutrient requirements, formulation of parenteral solutions, and management of complications. Ideal for healthcare professionals involved in nutritional support therapy, this book emphasizes evidence-based practices and patient safety.

2. Parenteral Nutrition: A Practical Guide

Designed as a user-friendly resource, this book provides practical approaches to initiating and managing parenteral nutrition in various patient populations. It includes case studies, dosing guidelines, and troubleshooting tips to optimize nutritional outcomes. The text also addresses monitoring protocols and interdisciplinary collaboration.

3. Nutrition in Critical Care

Focusing on the critically ill, this book discusses the role of parenteral nutrition in intensive care settings. It explores metabolic changes, energy requirements, and the timing of nutritional interventions. The authors integrate current research with clinical protocols to enhance patient recovery and reduce complications.

4. *Clinical Nutrition in Gastrointestinal Disease*

This text delves into nutritional management for patients with gastrointestinal disorders, highlighting when parenteral nutrition is indicated. It explains the pathophysiology of malabsorption and bowel dysfunction, guiding clinicians on tailored nutritional support. The book also reviews surgical considerations and long-term care strategies.

5. *Manual of Clinical Nutrition Management*

Aimed at nutritionists and clinicians, this manual covers comprehensive strategies for managing parenteral nutrition therapy. It provides detailed instructions on formulation, administration, and monitoring of parenteral solutions. Additionally, the book addresses ethical considerations and cost-effectiveness in nutrition support.

6. *Essentials of Parenteral Nutrition*

This concise resource covers the fundamental concepts of parenteral nutrition, including nutrient metabolism, solution preparation, and complication prevention. It serves as a quick reference for students and healthcare providers new to the field. The book also summarizes guidelines from leading nutrition societies.

7. *Advances in Parenteral Nutrition Therapy*

Highlighting recent innovations, this book discusses emerging technologies and formulations in parenteral nutrition. Topics include lipid emulsions, micronutrient supplementation, and personalized nutrition plans. It also reviews clinical trials and future directions in nutrition support therapy.

8. *Parenteral Nutrition in Pediatric Care*

This specialized text addresses the unique nutritional needs of pediatric patients requiring parenteral nutrition. It covers growth considerations, metabolic differences, and complications specific to children. The authors provide protocols for safe initiation and long-term management in neonatal and pediatric settings.

9. *Complications of Parenteral Nutrition: Prevention and Management*

Focusing exclusively on the challenges associated with parenteral nutrition, this book identifies common complications such as infections, metabolic imbalances, and liver dysfunction. It offers strategies for prevention, early detection, and effective management. The text is essential for clinicians aiming to improve patient safety and treatment outcomes.

Parenteral Nutrition Therapy

Find other PDF articles:

<http://www.speargroupllc.com/algebra-suggest-009/files?dataid=KgO84-2279&title=texas-algebra-1.pdf>

parenteral nutrition therapy: *Home Enteral Parenteral Nutrition Therapy* American Dietetic Association, 1986-10-01

parenteral nutrition therapy: *Dietitian's Handbook of Enteral and Parenteral Nutrition* Annalynn Skipper, 1998 Health Sciences & Nutrition

parenteral nutrition therapy: Nutrition Therapy for Chronic Kidney Disease Lynn K. Thomas, Jennifer Bohnstadt Othersen, 2016-04-19 Kidney disease is a global health concern that affects people of all ages and races. Based on the work of the National Kidney Foundation and the Kidney Disease: Improving Global Outcomes foundation, guidelines have been developed outlining the parameters for patient care. Nutritional Therapy for Chronic Kidney Disease builds upon the discoveries made

parenteral nutrition therapy: The Biology and Practice of Current Nutritional Support Rifat Latifi, Stanley J. Dudrick, 2003-01-01 The chapters in this book vary from methods of assessing and monitoring nutritional status to those of the use of intravenous and enteral nutritional support. Practical chapters define laparoscopic placement of feeding tubes as well as the use of a variety of nutritional substrates, which can be administered in different clinical scenarios. The di

parenteral nutrition therapy: ABC of Nutrition Therapy , 2001

parenteral nutrition therapy: Intravenous Therapy Phyllis Fichtelman Nentwich, 1990

parenteral nutrition therapy: Nutrition in the Prevention and Treatment of Disease Carol J. Boushey, Ann M. Coulston, Cheryl L. Rock, Elaine Monsen, 2001-08-22 As we enter the 21st century, a new era of nutrition in the prevention and treatment of disease emerges. Clinical nutrition involves the integration of diet, genetics, environment, and behavior promoting health and well being throughout life. Expertly edited, Nutrition in the Prevention and Treatment of Disease provides overall perspective and current scientifically supported evidence through in-depth reviews, key citations, discussions, limitations, and interpretations of research findings. This comprehensive reference integrates basic principles and concepts across disciplines and areas of research and practice, while detailing how to apply this knowledge in new creative ways. Nutrition in the Prevention and Treatment of Disease is an essential part of the tool chest for clinical nutritionists, physicians, nurse practitioners, and dietitians in this new era of practice. This book prepares the clinical nutrition investigator or practitioner for a life-long commitment to learning. CONTAINS INFORMATION ON: * Diet assessment methodologies * Strategies for diet modification * Clinical status of herbals, botanicals, and modified food products * Preventing common diseases such as cardiovascular disease, diabetes, osteoporosis, and breast cancer through nutrition * The Importance of genetic factors * Understanding of cultural and socio-economic influences on eating and exercise behaviors and integrating that knowledge with biological or functional markers of disease

parenteral nutrition therapy: Lippincott's Nursing Procedures , 2009 The newly revised fifth edition of this popular reference is a start-to-finish guide for more than 400 basic to advanced nursing procedures. It provides step-by-step instructions for each procedure and explains how to use and troubleshoot equipment.

parenteral nutrition therapy: Handbook of Home Nutrition Support Carol S. Ireton-Jones, Mark H. DeLegge, 2007

parenteral nutrition therapy: *Nutritional Support in Cancer and Transplant Patients* Rifat Latifi, 2001-08-01 Much has been learned, great developments have occurred, and so much has been written about cancer and transplantation in the last 2-3 decades. Yet, to the author's knowledge, no monograph or book has addressed nutrition support of cancer and transplant patients together. Experts from around the world have addressed the nutrition support in cancer and transplant patients in this unique monograph. The book is divided in two parts: Part I deals with nutrition support in cancer patients, including the specific role of nutrition on immunity, cancer cachexia, and the role of different substrates. Part II addresses nutrition in transplant patients. The first two chapters deal with the immunologic role of nutrition and cancer cachexia. Chapter 3 elegantly and extensively reviews the nutritional implications; its biochemistry and the role of one of the most studied amino acids in clinical practice, glutamine. This is followed by two chapters of nutrition support of patients with head and neck cancer and nutrition support of patients with gastrointestinal cancer. Chapters 6 and 7 review the role of total parenteral nutrition on perioperative nutritional support and cell cycle kinetics. While the plasma amino acids profile in cancer patients and the role of L-methionine is addressed in great details in Chapters 8 and 9, the role of ornithine

alpha-ketoglutarate administration on surgical, trauma and cancer-bearing patients is reviewed on Chapter 10. Part Two of this book starts with the review of nutritional support in small bowel transplantation. This Section elegantly describes the process of recovery of small bowel from the ischemia and preservation, weaning from parenteral nutrition support and establishment of normal diets. In addition monitoring techniques and the nutritional complications of surgical intervention is described. Chapter 12 on liver failure and liver transplant patients addresses hepatic encephalopathy and the role of certain amino acids, nutrition assessment techniques and metabolic changes following liver transplantation. Furthermore, it offers some practical advice on how to establish nutrition support routes in these very ill patients. Nutrition support in renal transplantation, including metabolic abnormalities in renal failure, are described on Chapter 13. This monograph ends with a Chapter on total parenteral nutrition in bone marrow transplant patients.

parenteral nutrition therapy: *An Exploratory Study on Total Parenteral Nutrition Therapy for Patients Living at Home* Randall Edward Moore, 1991

parenteral nutrition therapy: *Advanced Therapy of Inflammatory Bowel Disease* Theodore M. Bayless, Stephen B. Hanauer, 2001 *Advanced Therapy of Inflammatory Bowel Disease - Second Edition* The main emphasis of this new edition is on diagnosis, therapy and patient management, along with disease activity measures, IBD databases, and the use of diagnostic tests in clinical decision making. Each chapter consists of recommendations from an expert in the

parenteral nutrition therapy: Competence Assessment Tools for Health-System Pharmacies Lee B. Murdaugh, 2007-09-01 Since its original publication, Competence Assessment Tools for Health-System Pharmacies has continued to meet the changing needs of pharmacy directors and their staff. Designed as a complete human resource competence assessment program, this benchmark resource ensures pharmacies comply with the competence assessment standards of The Joint Commission. Newly updated and revised, Competence Assessment provides practical tools to assess and document an employee's ability to perform assigned duties and meet Joint Commission human resource requirements. Save time and increase efficiency with this essential tool that supplements and reinforces staff knowledge in key competency areas.

parenteral nutrition therapy: Manual of Nutritional Therapeutics , 2008 Now updated, this quick-reference provides practical, evidence-based recommendations for nutrition of healthy individuals, nutritional support of hospitalized patients, and dietary management of patients with diabetes, renal disease, cancer, and AIDS.

parenteral nutrition therapy: Nutrition Support Practice Manual , 2001-11

parenteral nutrition therapy: Clinical Nutrition for Oncology Patients Mary Marian, Susan Roberts, 2010-10-25 *Clinical Nutrition for Oncology Patients* provides clinicians who interact with cancer survivors the information they need to help patients make informed choices and improve long-term outcomes. This comprehensive resource outlines nutritional management recommendations for care prior to, during, and after treatment and addresses specific nutritional needs and complementary therapies that may be of help to a patient. This book is written by a variety of clinicians who not only care for cancer survivors and their caregivers but are also experts in the field of nutritional oncology. Important Notice: The digital edition of this book is missing some of the images or content found in the physical edition.

parenteral nutrition therapy: A Handbook of Parenteral Nutrition H. A. Lee, G. Venkat Raman, 2013-11-11 Total parenteral nutrition (TPN) is now an everyday occurrence in most general hospitals. Over the last two decades this therapeutic modality has been made so simple that it is no longer the province of the specialized surgeon or physician. Indeed, as with the management of chronic renal failure so now with short bowel disease, home parenteral nutrition has become a reality, though this still requires a specialist team dedicated to its management. Furthermore, as more patients will become suitable for home TPN treatment (either long term or short term) so better rationalization of (a) cost, (b) delivery systems and (c) patient training will be necessary. Lessons can be learnt from the somewhat diverse development of regular dialysis treatment in the

early 1960s compared with the situation today. Here is a golden opportunity, with the UK National Registry, to rationalize on home TPN costs and to make sure the treatment is simplified and available to all those who may require this treatment. This book is not designed to be an overall comprehensive review of parenteral nutrition. It is meant to set out simple guidelines and the requirements for effective TPN both in hospital and at home. It is aimed at doctors in training, interested physicians and surgeons, nurses, dietitians and pharmacists. The purpose is to stimulate interest and awareness, rather than to provide detailed 'small-print' information. For the person seeking greater knowledge, there are several excellent monographs on the subject.

parenteral nutrition therapy: *Global Malnutrition* Jahangir Moini, Oyindamola Akinso, Raheleh Ahangari, 2023-11-27 *Global Malnutrition: Pathology and Complications* addresses various types of malnutrition including deficiencies (undernutrition), excesses (overnutrition), and imbalances in a person's intake of nutrients. Malnutrition is considered a global health crisis causing various types of chronic diseases in humans. Malnutrition is very serious when affecting children as the result can be a lifetime of serious health problems. This book addresses the importance of combating undernutrition and overnutrition. It discusses the prevalence of nutritional disorders and epidemics; assesses nutritional requirements for various populations; and focuses on special populations most affected by nutritional disorders. Features: · Covers various diseases caused by poor diet and nutrition · Provides suggestions on preventing malnutrition by improving diet and nutrition · Discusses nutritional disorders and epidemics · Presents information on nutritional requirements in special populations · Contains clinical case studies with critical thinking questions and answers, clinical treatments, and costs Featuring an engaging writing style and excellent flow of material, *Global Malnutrition: Pathology and Complications* contains practical applications for use in clinical practice. It includes suggestions for improving diet and nutrition in order to prevent malnutrition. Figures enhance content, and questions at the end of the chapters with corresponding answers at the end of the book reinforce the subject matter.

parenteral nutrition therapy: *Cumulated Index Medicus* , 1979

parenteral nutrition therapy: *Inflammatory Bowel Disease and Familial Adenomatous Polyposis* Gian Gaetano Delaini, 2007-03-06 Inflammatory bowel disease (IBD) and familial adenomatous polyposis (FAP) are complex diseases. Despite increased knowledge on the pathophysiological process, many aspects remain rather unclear, especially concerning IBD. This book gathers current methods of treatment of these diseases and also presents the management of their complications. The authors give a comprehensive overview of the newer therapies to bring readers up to date.

Related to parenteral nutrition therapy

Parenteral Route: What Is It, Methods of Administration - Osmosis The parenteral route refers to the intravenous administration of nutrition and medications by bypassing the gastrointestinal system. The parenteral route of drug delivery

Parenteral Nutrition: What it Is, Uses & Types - Cleveland Clinic Parenteral nutrition means feeding intravenously (through a vein). "Parenteral" means "outside of the digestive tract." Whereas enteral nutrition is delivered through a tube to your stomach or

PARENTERAL Definition & Meaning - Merriam-Webster The meaning of PARENTERAL is situated or occurring outside the intestine; especially : introduced otherwise than by way of the intestines. How to use parenteral in a sentence

Parenteral | definition of parenteral by Medical dictionary parenteral adjective Referring to a non-topical route of administration; by injection is parenteral

Chapter 18 Administration of Parenteral Medications Administering medication by the parenteral route is defined as medications placed into the tissues and the circulatory system by injection. There are several reasons why medications may be

What Does Parenteral Route Mean? | Essential Insights The parenteral route refers to the administration of substances directly into the body via injections, bypassing the digestive system

Enteral and Parenteral Nutrition - American College of Parenteral nutrition (often abbreviated TPN) refers to the delivery of calories and nutrients into a vein

PARENTERAL Definition & Meaning | Parenteral definition: taken into the body in a manner other than through the digestive canal.. See examples of PARENTERAL used in a sentence

PARENTERAL | definition in the Cambridge English Dictionary / pə'ren.tə.rəl / Add to word list relating to food or treatment that does not come through the digestive system, for example drugs that are injected into the veins or muscles (Definition of

Parenteral | NIH - Clinicalinfo Parenteral nutrition refers to feeding a person intravenously.

When a substance, such as a drug or solution, is introduced into the body through a route other than the gastrointestinal (GI) tract.

Related to parenteral nutrition therapy

Baxter and ASPEN Announce Collaboration to Help Reduce Malnutrition Through

Appropriate Use of Parenteral Nutrition Therapy (Business Wire8y) DEERFIELD, Ill. & SILVER SPRING, Md.--(BUSINESS WIRE)--Today the American Society for Parenteral and Enteral Nutrition (ASPEN), an organization which drives the science and practice of clinical

Baxter and ASPEN Announce Collaboration to Help Reduce Malnutrition Through

Appropriate Use of Parenteral Nutrition Therapy (Business Wire8y) DEERFIELD, Ill. & SILVER SPRING, Md.--(BUSINESS WIRE)--Today the American Society for Parenteral and Enteral Nutrition (ASPEN), an organization which drives the science and practice of clinical

Shortages Persist for Parenteral Nutrition (MedPage Today2y) Patients scrambling for the at-home parenteral nutrition they rely on for survival have made the news in recent days, but it's just another salvo in a decades-long struggle with supply. "Shortages for

Shortages Persist for Parenteral Nutrition (MedPage Today2y) Patients scrambling for the at-home parenteral nutrition they rely on for survival have made the news in recent days, but it's just another salvo in a decades-long struggle with supply. "Shortages for

Guidance for Supplemental Enteral Nutrition Across Patient Populations (The American Journal of Managed Care8y) Enteral nutrition is preferred over parenteral nutrition as a result of the greater safety of enteral nutrition therapy and comparative convenience. A wide variety of enteral nutrition products have

Guidance for Supplemental Enteral Nutrition Across Patient Populations (The American Journal of Managed Care8y) Enteral nutrition is preferred over parenteral nutrition as a result of the greater safety of enteral nutrition therapy and comparative convenience. A wide variety of enteral nutrition products have

FDA Approves New Parenteral Nutrition Therapy (Monthly Prescribing Reference11y) B. Braun Medical Inc. announced that the FDA has approved Nutrilipid 20% (IV fat emulsion) for parenteral nutrition therapy in adult and pediatric patients. Nutrilipid is indicated as a source of

FDA Approves New Parenteral Nutrition Therapy (Monthly Prescribing Reference11y) B. Braun Medical Inc. announced that the FDA has approved Nutrilipid 20% (IV fat emulsion) for parenteral nutrition therapy in adult and pediatric patients. Nutrilipid is indicated as a source of

Researchers examine catheter-related bloodstream infections in patients receiving home parenteral nutrition (News Medical10y) Catheter-related bloodstream infection is the most prevalent and severe complication for patients who receive parenteral nutrition therapy at home. A new study by researchers at Aalborg University in

Researchers examine catheter-related bloodstream infections in patients receiving home parenteral nutrition (News Medical10y) Catheter-related bloodstream infection is the most prevalent and severe complication for patients who receive parenteral nutrition therapy at home. A new study by researchers at Aalborg University in

One Year of GATTEX Therapy Safely Reduces Parenteral Nutrition Dependence for Patients with Short Bowel Syndrome (FierceBiotech16y) Results Presented at American College of

Gastroenterology Annual Meeting Show Majority of Responders Continued to Benefit from GATTEX in Phase 3-Extension Study -- ORLANDO, Fla.--(BUSINESS

One Year of GATTEX Therapy Safely Reduces Parenteral Nutrition Dependence for Patients with Short Bowel Syndrome (FierceBiotech16y) Results Presented at American College of Gastroenterology Annual Meeting Show Majority of Responders Continued to Benefit from GATTEX in Phase 3-Extension Study -- ORLANDO, Fla.--(BUSINESS

Can growth hormone and glutamine reduce parenteral nutrition requirements in patients with short-bowel syndrome? (Nature19y) Patients with short-bowel syndrome (SBS) often require parenteral nutrition. Therapy with recombinant growth hormone (rGH) and glutamine has been suggested to reduce patient dependence on parenteral

Can growth hormone and glutamine reduce parenteral nutrition requirements in patients with short-bowel syndrome? (Nature19y) Patients with short-bowel syndrome (SBS) often require parenteral nutrition. Therapy with recombinant growth hormone (rGH) and glutamine has been suggested to reduce patient dependence on parenteral

New treatment may help neonatal liver disease associated with parenteral nutrition (Science Daily10y) Exogenous glucagon-like peptide 2 (GLP-2) treatment may help fight neonatal parenteral nutrition associated liver disease (PNALD), a new study suggests. A new study finds that exogenous glucagon-like

New treatment may help neonatal liver disease associated with parenteral nutrition (Science Daily10y) Exogenous glucagon-like peptide 2 (GLP-2) treatment may help fight neonatal parenteral nutrition associated liver disease (PNALD), a new study suggests. A new study finds that exogenous glucagon-like

Catheter-related bloodstream infections examined in home parenteral nutrition patients (Science Daily10y) Catheter-related bloodstream infection is the most prevalent and severe complication for patients who receive parenteral nutrition therapy at home. A new study examined whether environmental factors

Catheter-related bloodstream infections examined in home parenteral nutrition patients (Science Daily10y) Catheter-related bloodstream infection is the most prevalent and severe complication for patients who receive parenteral nutrition therapy at home. A new study examined whether environmental factors

Back to Home: <http://www.speargroupllc.com>